


SOLID RIVETS

Standard Brazier Head Aluminum Rivets

ALLOYS
1100F Soft
2117T4 Hard
6061T6
6053T4
6053T61
5056H32

A	B	C	D
1/8	0.312	0.062	0.227
5/32	0.390	0.078	0.283
3/16	0.467	0.094	0.339
1/4	0.625	0.125	0.454
5/16	0.780	0.156	0.566
3/8	0.937	0.187	0.680




Standard Commercial Tolerances

Standard Universal Head Aluminum Rivets

ALLOYS
1100F Soft
2117T4 Hard
6061T6
6053T4
6053T61
5056H32

A	B	C	D
1/8	0.250	0.059	0.108
5/32	0.312	0.072	0.135
3/16	0.375	0.085	0.164
1/4	0.500	0.112	0.217
5/16	0.625	0.138	0.272
3/8	0.750	0.166	0.328




Standard Commercial Tolerances

Standard Round Head Aluminum Rivets

ALLOYS
1100F Soft
2117T4 Hard
6061T6
6053T4
6053T61
5056H32

A	B	C	D
1/8	0.250	0.094	0.130
5/32	0.312	0.117	0.163
3/16	0.375	0.140	0.195
1/4	0.500	0.187	0.260
5/16	0.625	0.234	0.325
3/8	0.750	0.281	0.391




Standard Commercial Tolerances

Modified Brazier Head Aluminum Rivets

ALLOYS
1100F Soft
2117T4 Hard
6061T6
6053T4
6053T61
5056H32

A	B	C	D
1/8	0.235	0.047	0.171
5/32	0.312	0.063	0.227
3/16	0.390	0.078	0.283
1/4	0.468	0.094	0.339
5/16	0.625	0.125	0.454
3/8	0.781	0.156	0.566



Standard Commercial Tolerances